

Clinical Policy: Placental and Umbilical Cord Blood as a Source of Stem Cells

Reference Number: WNC.CP.191
Last Review Date: 08/23

[Coding Implications](#)
[Revision Log](#)

See [Important Reminder](#) at the end of this policy for important regulatory and legal information.

Note: When state Medicaid coverage provisions conflict with the coverage provisions in this clinical policy, state Medicaid coverage provisions take precedence. Please refer to the state Medicaid manual for any coverage provisions pertaining to this clinical policy.

Description¹

This policy addresses WellCare of North Carolina® beneficiaries' collection, storage, and transplantation of placental and umbilical cord blood ("cord blood") as a source of stem cells for allogeneic and autologous stem-cell transplantation. Potential indications for use of cord blood are included in the disease-specific reference policies.

Policy/Criteria¹

- I. WellCare of North Carolina® shall cover cord blood as a source of stem cells for stem cell transplantation in the following situations:
 - A. Transplantation of cord blood stem cells from related or unrelated donors in beneficiaries with an appropriate indication for allogeneic stem cell transplantation; **or**
 - B. Collection and storage of cord blood from a neonate when an allogeneic transplant is imminent in an identified beneficiary with a diagnosis that is consistent with the possible need for allogeneic transplant.

- II. WellCare of North Carolina® **shall not** cover cord blood as a source of stem cells for stem cell transplantation in the following situations:
 - A. When the criteria above is not met; **or**
 - B. When prophylactic collection and storage of cord blood from a neonate is proposed for unspecified future use as an autologous stem-cell transplant in the original donor, or for unspecified future use as an allogeneic stem cell transplant in a related or unrelated recipient.

Background¹

A variety of malignant diseases and nonmalignant bone marrow disorders are treated with myeloablative therapy followed by infusion of allogeneic stem and progenitor cells collected from immunologically compatible donors, either from family members or an unrelated donor identified through a bone marrow donor bank. In some cases, a suitable donor is not found. Blood harvested from the umbilical cord and placenta shortly after delivery of neonates contains stem and progenitor cells capable of restoring hematopoietic function after myeloablation. This "cord" blood has been used as an alternative source of allogeneic stem cells. Cord blood is readily available and is thought to be antigenically "naive," thus hopefully minimizing the incidence of graft-versus-host disease (GVHD) and permitting the broader use of unrelated cord

CLINICAL POLICY

PLACENTAL AND UMBILICAL CORD BLOOD AS A SOURCE OF STEM CELLS

blood transplants. Unrelated donors are typically typed at low resolution for human leukocyte antigens (HLA) -A and -B and at high resolution only for HLA-DR; HLA matching at 4 of 6 loci is considered acceptable. Under this matching protocol, an acceptable donor can be identified for almost any patient. Several cord blood banks have now been developed in Europe and in the U.S. The U.S. Food and Drug Administration (FDA) require licensing of establishments and their products for unrelated-donor allogeneic transplant of minimally manipulated placental and umbilical cord blood stem cells. Facilities that prepare cord blood units only for autologous or related-donor transplants are required to register and list their products, adhere to Good Tissue Practices issued by the FDA, and use applicable processes for donor suitability determination. Other cord blood banks are offering the opportunity of collecting and storing a neonate’s cord blood for some unspecified future use in the unlikely event that the child develops a condition that would require autologous transplantation. In addition, some cord blood is collected and stored from a neonate for use by a sibling in whom an allogeneic transplant is anticipated due to a history of leukemia or other condition requiring allogeneic transplant.

The evidence for cord blood as a source of stem cells in individuals undergoing allogeneic stem cell transplant includes a number of observational studies, a meta-analysis of observational studies, and a randomized controlled trial (RCT) comparing outcomes after single or double cord blood units. Relevant outcomes are overall survival, disease-specific survival, hospitalizations, resource utilization, and treatment-related mortality and morbidity. The meta-analysis of observational studies found similar survival outcomes and lower graft versus host disease after cord blood transplantation than bone marrow transplantation. In the RCT, survival rates were similar after single-unit and double-unit cord blood transplantation. The evidence is sufficient to determine qualitatively that the technology results in a meaningful improvement in the net health outcome. The evidence for prophylactic collection and storage of cord blood from a neonate for individuals with an unspecified potential future need for stem cell transplant includes no published studies. Relevant outcomes are resource utilization. The evidence is insufficient to determine the effects of the technology on health outcomes.

Coding Implications

This clinical policy references Current Procedural Terminology (CPT®). CPT® is a registered trademark of the American Medical Association. All CPT codes and descriptions are copyrighted 2023, American Medical Association. All rights reserved. CPT codes and CPT descriptions are from the current manuals and those included herein are not intended to be all-inclusive and are included for informational purposes only. Codes referenced in this clinical policy are for informational purposes only. Inclusion or exclusion of any codes does not guarantee coverage. Providers should reference the most up-to-date sources of professional coding guidance prior to the submission of claims for reimbursement of covered services.

CPT®*	Description
No applicable codes.	

HCPCS®*	Description
No applicable codes.	

CLINICAL POLICY

PLACENTAL AND UMBILICAL CORD BLOOD AS A SOURCE OF STEM CELLS

ICD-10-CM Diagnosis Codes that Support Coverage Criteria

+ Indicates a code(s) requiring an additional character

ICD-10-CM Code	Description
No applicable codes.	

Reviews, Revisions, and Approvals	Reviewed Date	Approval Date
Original approval date	04/21	05/21
Annual Review	12/21	02/22
Annual Review	11/22	11/22
NCHC verbiage removed from NC Guidance Verbiage	04/23	04/23
Annual Review.	08/23	08/23

References

1. State of North Carolina Medicaid. Medicaid and Health Choice Clinical Coverage Policy No: 11A-14 Placental and Umbilical Cord Blood as a Source of Stem Cells. [Program Specific Clinical Coverage Policies | NC Medicaid \(ncdhhs.gov\)](#). Published July 1, 2021. Accessed July 12, 2023.

North Carolina Guidance

Eligibility Requirements

- a. An eligible beneficiary shall be enrolled in the NC Medicaid Program (Medicaid is NC Medicaid program, unless context clearly indicates otherwise);
- b. Provider(s) shall verify each Medicaid beneficiary’s eligibility each time a service is rendered.
- c. The Medicaid beneficiary may have service restrictions due to their eligibility category that would make them ineligible for this service.

EPSDT Special Provision: Exception to Policy Limitations for a Medicaid Beneficiary under 21 Years of Age

- a. 42 U.S.C. § 1396d(r) [1905(r) of the Social Security Act]
Early and Periodic Screening, Diagnostic, and Treatment (EPSDT) is a federal Medicaid requirement that requires the state Medicaid agency to cover services, products, or procedures for Medicaid beneficiary under 21 years of age if the service is medically necessary health care to correct or ameliorate a defect, physical or mental illness, or a condition [health problem] identified through a screening examination (includes any evaluation by a physician or other licensed practitioner).

This means EPSDT covers most of the medical or remedial care a child needs to improve or maintain his or her health in the best condition possible, compensate for a health problem, prevent it from worsening, or prevent the development of additional health problems.

CLINICAL POLICY

PLACENTAL AND UMBILICAL CORD BLOOD AS A SOURCE OF STEM CELLS

Medically necessary services will be provided in the most economic mode, as long as the treatment made available is similarly efficacious to the service requested by the beneficiary's physician, therapist, or other licensed practitioner; the determination process does not delay the delivery of the needed service; and the determination does not limit the beneficiary's right to a free choice of providers.

EPSDT does not require the state Medicaid agency to provide any service, product or procedure:

1. that is unsafe, ineffective, or experimental or investigational.
2. that is not medical in nature or not generally recognized as an accepted method of medical practice or treatment.

Service limitations on scope, amount, duration, frequency, location of service, and other specific criteria described in clinical coverage policies may be exceeded or may not apply as long as the provider's documentation shows that the requested service is medically necessary "to correct or ameliorate a defect, physical or mental illness, or a condition" [health problem]; that is, provider documentation shows how the service, product, or procedure meets all EPSDT criteria, including to correct or improve or maintain the beneficiary's health in the best condition possible, compensate for a health problem, prevent it from worsening, or prevent the development of additional health problems.

EPSDT and Prior Approval Requirements

1. If the service, product, or procedure requires prior approval, the fact that the beneficiary is under 21 years of age does NOT eliminate the requirement for prior approval.
2. **IMPORTANT ADDITIONAL INFORMATION** about EPSDT and prior approval is found in the *NCTracks Provider Claims and Billing Assistance Guide*, and on the EPSDT provider page. The Web addresses are specified below:

NCTracks Provider Claims and Billing Assistance Guide:

<https://www.nctracks.nc.gov/content/public/providers/provider-manuals.html>

EPSDT provider page: <https://medicaid.ncdhhs.gov/>

Provider(s) Eligible to Bill for the Procedure, Product, or Service

To be eligible to bill for the procedure, product, or service related to this policy, the provider(s) shall:

- a. meet Medicaid qualifications for participation;
- b. have a current and signed Department of Health and Human Services (DHHS) Provider Administrative Participation Agreement; and
- c. bill only for procedures, products, and services that are within the scope of their clinical practice, as defined by the appropriate licensing entity.

Compliance

Provider(s) shall comply with the following in effect at the time the service is rendered:

- a. All applicable agreements, federal, state and local laws and regulations including the Health Insurance Portability and Accountability Act (HIPAA) and record retention requirements; and

CLINICAL POLICY

PLACENTAL AND UMBILICAL CORD BLOOD AS A SOURCE OF STEM CELLS

- b. All NC Medicaid's clinical (medical) coverage policies, guidelines, policies, provider manuals, implementation updates, and bulletins published by the Centers for Medicare and Medicaid Services (CMS), DHHS, DHHS division(s) or fiscal contractor(s).

Claims-Related Information

Provider(s) shall comply with the NC Tracks Provider Claims and Billing Assistance Guide, Medicaid bulletins, fee schedules, NC Medicaid's clinical coverage policies and any other relevant documents for specific coverage and reimbursement for Medicaid:

- a. Claim Type - as applicable to the service provided:
 - Professional (CMS-1500/837P transaction)
 - Institutional (UB-04/837I transaction)Unless directed otherwise, Institutional Claims must be billed according to the National Uniform Billing Guidelines. All claims must comply with National Coding Guidelines.
- b. International Classification of Diseases and Related Health Problems, Tenth Revisions, Clinical Modification (ICD-10-CM) and Procedural Coding System (PCS) - Provider(s) shall report the ICD-10-CM and Procedural Coding System (PCS) to the highest level of specificity that supports medical necessity. Provider(s) shall use the current ICD-10 edition and any subsequent editions in effect at the time of service. Provider(s) shall refer to the applicable edition for code description, as it is no longer documented in the policy.
- c. Code(s) - Provider(s) shall report the most specific billing code that accurately and completely describes the procedure, product or service provided. Provider(s) shall use the Current Procedural Terminology (CPT), Health Care Procedure Coding System (HCPCS), and UB-04 Data Specifications Manual (for a complete listing of valid revenue codes) and any subsequent editions in effect at the time of service. Provider(s) shall refer to the applicable edition for the code description, as it is no longer documented in the policy. If no such specific CPT or HCPCS code exists, then the provider(s) shall report the procedure, product or service using the appropriate unlisted procedure or service code.

Unlisted Procedure or Service

CPT: The provider(s) shall refer to and comply with the Instructions for Use of the CPT Codebook, Unlisted Procedure or Service, and Special Report as documented in the current CPT in effect at the time of service.

HCPCS: The provider(s) shall refer to and comply with the Instructions For Use of HCPCS National Level II codes, Unlisted Procedure or Service and Special Report as documented in the current HCPCS edition in effect at the time of service

- d. Modifiers - Providers shall follow applicable modifier guidelines.
- e. Billing Units - Provider(s) shall report the appropriate code(s) used which determines the billing unit(s).
- f. Co-payments -
For Medicaid refer to Medicaid State Plan:
<https://medicaid.ncdhhs.gov/get-involved/nc-health-choice-state-plan>
- g. Reimbursement - Provider(s) shall bill their usual and customary charges. For a schedule of rates, refer to: <https://medicaid.ncdhhs.gov/>.

CLINICAL POLICY

PLACENTAL AND UMBILICAL CORD BLOOD AS A SOURCE OF STEM CELLS

Important Reminder

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. The Health Plan makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. “Health Plan” means a health plan that has adopted this clinical policy and that is operated or administered, in whole or in part, by Centene Management Company, LLC, or any of such health plan’s affiliates, as applicable.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable Health Plan-level administrative policies and procedures.

This clinical policy is effective as of the date determined by the Health Plan. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. The Health Plan retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members/enrollees. This clinical policy is not intended to recommend treatment for members/enrollees. Members/enrollees should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom the Health Plan has no control or right of control. Providers are not agents or employees of the Health Plan.

This clinical policy is the property of the Health Plan. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members/enrollees and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members/enrollees and their representatives agree to be bound by such terms and conditions by providing services to members/enrollees and/or submitting claims for payment for such services.

CLINICAL POLICY

PLACENTAL AND UMBILICAL CORD BLOOD AS A SOURCE OF STEM CELLS

©2018 Centene Corporation. All rights reserved. All materials are exclusively owned by Centene Corporation and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Centene Corporation. You may not alter or remove any trademark, copyright or other notice contained herein. Centene[®] and Centene Corporation[®] are registered trademarks exclusively owned by Centene Corporation.